

1. Kaye M, Skidmore S, Osman H, Weinbren M, Warren R. Surveillance of respiratory virus infections in adult hospital admissions using rapid methods. *Epidemiol Infect* 2006;134:792-798.
2. Mousa HA. Prevention and Treatment of Influenza, Influenza-Like Illness, and Common Cold by Herbal, Complementary, and Natural Therapies. *J Evid Based Complementary Altern Med* 2017;22:166-174.
3. de Vries RD, Altenburg AF, Rimmelzwaan GF. Universal influenza vaccines, science fiction or soon reality? *Expert Rev Vaccines* 2015;14:1299-1301.
4. Hayden FG, Osterhaus AD, Treanor JJ, Fleming DM, Aoki FY, Nicholson KG, Bohnen AM, Hirst HM, Keene O, Wightman K. Efficacy and safety of the neuraminidase inhibitor zanamivir in the treatment of influenza virus infections. GG167 Influenza Study Group. *The New England journal of medicine* 1997;337:874-880.
5. Treanor JJ, Hayden FG, Vrooman PS, Barbarash R, Bettis R, Riff D, Singh S, Kinnersley N, Ward P, Mills RG. Efficacy and safety of the oral neuraminidase inhibitor oseltamivir in treating acute influenza: a randomized controlled trial. US Oral Neuraminidase Study Group. *JAMA* 2000;283:1016-1024.
6. Heinonen S, Silvennoinen H, Lehtinen P, Vainionpaa R, Vahlberg T, Ziegler T, Ikonen N, Puhakka T, Heikkinen T. Early oseltamivir treatment of influenza in children 1-3 years of age: a randomized controlled trial. *Clin Infect Dis* 2010;51:887-894.
7. Cowling BJ, Chan KH, Fang VJ, Lau LLH, So HC, Fung ROP, Ma ESK, Kwong ASK, Chan CW, Tsui WWS, Ngai HY, Chu DWS, Lee PWY, Chiu MC, Leung GM, Peiris JSM. Comparative epidemiology of pandemic and seasonal influenza A in households. *The New England journal of medicine* 2010;362:2175-2184.
8. Stroup DF, Berlin JA, Morton SC, Olkin I, Williamson GD, Rennie D, Moher D, Becker BJ, Sipe TA, Thacker SB. Meta-analysis of observational studies in epidemiology: a proposal for reporting. Meta-analysis Of Observational Studies in Epidemiology (MOOSE) group. *JAMA* 2000;283:2008-2012.
9. Hao Q, Dong BR, Wu T. Probiotics for preventing acute upper respiratory tract infections. *The Cochrane database of systematic reviews* 2015:CD006895.
10. Goto H, Sagitani A, Ashida N, Kato S, Hirota T, Shinoda T, Yamamoto N. Anti-influenza virus effects of both live and non-live Lactobacillus acidophilus L-92 accompanied by the activation of innate immunity. *Br J Nutr* 2013;110:1810-1818.
11. Leyer GJ, Li S, Mubasher ME, Reifer C, Ouwehand AC. Probiotic effects on cold and influenza-like symptom incidence and duration in children. *Pediatrics* 2009;124:e172-179.
12. Kawase M, He F, Kubota A, Yoda K, Miyazawa K, Hiramatsu M. Heat-killed Lactobacillus gasseri TMCo356 protects mice against influenza virus infection by stimulating gut and respiratory immune responses. *FEMS Immunol Med Microbiol* 2012;64:280-288.
13. Bosch M, Mendez M, Perez M, Farran A, Fuentes MC, Cune J. Lactobacillus plantarum CECT7315 and CECT7316 stimulate immunoglobulin production after influenza vaccination in elderly. *Nutr Hosp* 2012;27:504-509.
14. Steinbrenner H, Al-Quraishi S, Dkhil MA, Wunderlich F, Sies H. Dietary selenium in adjuvant therapy of viral and bacterial infections. *Adv Nutr* 2015;6:73-82.
15. Goldson AJ, Fairweather-Tait SJ, Armah CN, Bao Y, Broadley MR, Dainty JR, Furniss C, Hart DJ, Teucher B, Hurst R. Effects of selenium supplementation on selenoprotein gene expression and response to influenza vaccine challenge: a randomised controlled trial. *PLoS one* 2011;6:e14771.
16. Urashima M, Segawa T, Okazaki M, Kurihara M, Wada Y, Ida H. Randomized trial of vitamin D supplementation to prevent seasonal influenza A in schoolchildren. *Am J Clin Nutr* 2010;91:1255-1260.



LSH SBrL

Via Regina Pacis 32 - 41049 Sassuolo (MO)  
C.F. e P.IVA 03813620360 - REA MO419896

17. Sabetta JR, DePetrillo P, Cipriani RJ, Smardin J, Burns LA, Landry ML. Serum 25-hydroxyvitamin d and the incidence of acute viral respiratory tract infections in healthy adults. *PLoS one* 2010;5:e11088.
18. Urashima M, Mezawa H, Noya M, Camargo CA, Jr. Effects of vitamin D supplements on influenza A illness during the 2009 H1N1 pandemic: a randomized controlled trial. *Food & function* 2014;5:2365-2370.
19. Sundaram ME, Talbot HK, Zhu Y, Griffin MR, Spencer S, Shay DK, Coleman LA. Vitamin D is not associated with serologic response to influenza vaccine in adults over 50 years old. *Vaccine* 2013;31:2057-2061.
20. Wakabayashi H, Oda H, Yamauchi K, Abe F. Lactoferrin for prevention of common viral infections. *J Infect Chemother* 2014;20:666-671.
21. Taneja S, Strand TA, Kumar T, Mahesh M, Mohan S, Manger MS, Refsum H, Yajnik CS, Bhandari N. Folic acid and vitamin B-12 supplementation and common infections in 6-30-mo-old children in India: a randomized placebo-controlled trial. *Am J Clin Nutr* 2013;98:731-737.
22. Gariballa S, Afandi B, Abu Haltem M, Yassin J, Alessa A. Effect of antioxidants and B-group vitamins on risk of infections in patients with type 2 diabetes mellitus. *Nutrients* 2013;5:711-724.
23. Malaguarnera M, Vacante M, Giordano M, Motta M, Bertino G, Pennisi M, Neri S, Malaguarnera M, Li Volti G, Galvano F. L-carnitine supplementation improves hematological pattern in patients affected by HCV treated with Peg interferon-alpha 2b plus ribavirin. *World J Gastroenterol* 2011;17:4414-4420.
24. Hatamkhani S, Khalili H, Karimzadeh I, Abdollahi A, Jafari S, Khazaeipour Z. Carnitine deficiency and its possible risk factors in TB patients: first report. *Immunotherapy* 2013;5:945-953.
25. Wang X, Jia W, Zhao A, Wang X. Anti-influenza agents from plants and traditional Chinese medicine. *Phytother Res* 2006;20:335-341.
26. Moyad MA, Robinson LE, Zawada ET, Jr., Kittelsrud JM, Chen DG, Reeves SG, Weaver SE. Effects of a modified yeast supplement on cold/flu symptoms. *Urol Nurs* 2008;28:50-55.
27. Michaelis M, Geiler J, Naczk P, Sithisarn P, Ogbomo H, Altenbrandt B, Leutz A, Doerr HW, Cinatl J, Jr. Glycyrrhizin inhibits highly pathogenic H5N1 influenza A virus-induced pro-inflammatory cytokine and chemokine expression in human macrophages. *Med Microbiol Immunol* 2010;199:291-297.
28. Utsunomiya T, Kobayashi M, Pollard RB, Suzuki F. Glycyrrhizin, an active component of licorice roots, reduces morbidity and mortality of mice infected with lethal doses of influenza virus. *Antimicrob Agents Chemother* 1997;41:551-556.
29. Wolkerstorfer A, Kurz H, Bachhofner N, Szolar OH. Glycyrrhizin inhibits influenza A virus uptake into the cell. *Antiviral Res* 2009;83:171-178.
30. Nabeshima S, Kashiwagi K, Ajisaka K, Masui S, Takeoka H, Ikematsu H, Kashiwagi S. A randomized, controlled trial comparing traditional herbal medicine and neuraminidase inhibitors in the treatment of seasonal influenza. *J Infect Chemother* 2012;18:534-543.
31. Vohra S, Johnston BC, Laycock KL, Midodzi WK, Dhunnoo I, Harris E, Baydala L. Safety and tolerability of North American ginseng extract in the treatment of pediatric upper respiratory tract infection: a phase II randomized, controlled trial of 2 dosing schedules. *Pediatrics* 2008;122:e402-410.
32. McElhaney JE, Goel V, Toane B, Hooten J, Shan JJ. Efficacy of COLD-fX in the prevention of respiratory symptoms in community-dwelling adults: a randomized, double-blinded, placebo controlled trial. *J Altern Complement Med* 2006;12:153-157.

33. Predy GN, Goel V, Lovlin R, Donner A, Stitt L, Basu TK. Efficacy of an extract of North American ginseng containing poly-furanosyl-pyranosyl-saccharides for preventing upper respiratory tract infections: a randomized controlled trial. *CMAJ* 2005;173:1043-1048.
34. Ha KC, Kim MG, Oh MR, Choi EK, Back HI, Kim SY, Park EO, Kwon DY, Yang HJ, Kim MJ, Kang HJ, Lee JH, Choi KM, Chae SW, Lee CS. A placebo-controlled trial of Korean red ginseng extract for preventing influenza-like illness in healthy adults. *BMC complementary and alternative medicine* 2012;12:10.
35. Zakay-Rones Z, Thom E, Wollan T, Wadstein J. Randomized study of the efficacy and safety of oral elderberry extract in the treatment of influenza A and B virus infections. *J Int Med Res* 2004;32:132-140.
36. Roschek B, Jr., Fink RC, McMichael MD, Li D, Alberte RS. Elderberry flavonoids bind to and prevent H1N1 infection in vitro. *Phytochemistry* 2009;70:1255-1261.
37. Nantz MP, Rowe CA, Muller C, Creasy R, Colee J, Khoo C, Percival SS. Consumption of cranberry polyphenols enhances human gammadelta-T cell proliferation and reduces the number of symptoms associated with colds and influenza: a randomized, placebo-controlled intervention study. *Nutr J* 2013;12:161.
38. Di Pierro F, Rapacioli G, Ferrara T, Togni S. Use of a standardized extract from Echinacea angustifolia (Polinacea) for the prevention of respiratory tract infections. *Altern Med Rev* 2012;17:36-41.
39. Raus K, Pleschka S, Klein P, Schoop R, Fisher P. Effect of an Echinacea-Based Hot Drink Versus Oseltamivir in Influenza Treatment: A Randomized, Double-Blind, Double-Dummy, Multicenter, Noninferiority Clinical Trial. *Curr Ther Res Clin Exp* 2015;77:66-72.
40. Viuda-Martos M, Ruiz-Navajas Y, Fernandez-Lopez J, Perez-Alvarez JA. Functional properties of honey, propolis, and royal jelly. *J Food Sci* 2008;73:R117-124.
41. Tichy J, Novak J. Detection of antimicrobials in bee products with activity against viridans streptococci. *J Altern Complement Med* 2000;6:383-389.
42. Santos VR, Pimenta FJ, Aguiar MC, do Carmo MA, Naves MD, Mesquita RA. Oral candidiasis treatment with Brazilian ethanol propolis extract. *Phytother Res* 2005;19:652-654.
43. Li X, Huang C, Xue Y. Contribution of lipids in honeybee (*Apis mellifera*) royal jelly to health. *J Med Food* 2013;16:96-102.
44. Fontana R, Mendes MA, de Souza BM, Konno K, Cesar LM, Malaspina O, Palma MS. Jelleines: a family of antimicrobial peptides from the Royal Jelly of honeybees (*Apis mellifera*). *Peptides* 2004;25:919-928.
45. Cohen HA, Varsano I, Kahan E, Sarrell EM, Uziel Y. Effectiveness of an herbal preparation containing echinacea, propolis, and vitamin C in preventing respiratory tract infections in children: a randomized, double-blind, placebo-controlled, multicenter study. *Arch Pediatr Adolesc Med* 2004;158:217-221.
46. da Silva Leitao Peres N, Cabrera Parra Bortoluzzi L, Medeiros Marques LL, Formigoni M, Fuchs RHB, Droval AA, Reitz Cardoso FA. Medicinal effects of Peruvian maca (*Lepidium meyenii*): a review. *Food & function* 2020;11:83-92.
47. Wu L, Zhang M, Xin X, Lai F, Wu H. Physicochemical and functional properties of a protein isolate from maca (*Lepidium meyenii*) and the secondary structure and immunomodulatory activity of its major protein component. *Food & function* 2019;10:2894-2905.
48. Dar PA, Singh LR, Kamal MA, Dar TA. Unique Medicinal Properties of *Withania somnifera*: Phytochemical Constituents and Protein Component. *Curr Pharm Des* 2016;22:535-540.

49. Jain J, Narayanan V, Chaturvedi S, Pai S, Sunil S. In Vivo Evaluation of Withania somnifera-Based Indian Traditional Formulation ( Amukkara Choornam), Against Chikungunya Virus-Induced Morbidity and Arthralgia. *J Evid Based Integr Med* 2018;23:2156587218757661.
50. Bisht P, Rawat V. Antibacterial activity of Withania somnifera against Gram-positive isolates from pus samples. *Ayu* 2014;35:330-332.



LSH SBrl

Via Regina Pacis 32 - 41049 Sassuolo (MO)  
C.F. e P.IVA 03813620360 - REA MO419896